Electronic Shelf Label A1 Series

7.5" Dot Matrix EPD Graphic Screen ESL

SR9875 **PRODUCT DATASHEET**

PRODUCT FEATURES

Cloud-managed	EPD screen	Pricing in Seconds
5-year Bettery	Strategic Pricing	Bluetooth LE 5.0

TECH SPECIFICATION

Canon SX530 HS 16.0 MP PowerShot CMOS Digital Camera

Canon SX530 HS

$234

Whether the perfect shot is up close or seemingly out of reach, you'll capture it beautifully thanks to the amazing 50x (24-1200mm) zoom power of the Canon Powers hot SX530 HS camera.

EXAMPLARY PICTURE

TECHNICAL DRAWINGS
(mm)

121.2

180.2

8.5

DISPLAY FEATURES

Display Technology	EPD
Active Display Area(mm)	163.24×97.944
Resolution（Pixels）	880*528
Pixel Density (DPI)	137
Pixel Colors	Black White Red or Black White Yellow
Viewing Angle	Nearly 180º
Usable Pages	6

PHYSICAL FEATURES

LED	1xRGB
NFC	Yes
Operating Temperature	0~40℃
Dimensions	180.8*121.8*9mm
Packaging Unit	10 Labels/box

WIRELESS

Operating Frequency	2.4-2.485GHz
Standard	BLE 5.0
Encryption	128-bit AES
OTA	YES

BATTERY

Battery	1*4 CR2430（replaceable） + 1*4 CR2430
Battery Life	5 years（4 updates/day）
Battery Capacity	2400mAh

COMPLIANCE

Certification	CE,ROHS,FCC